

Safety Data Sheet

Date of Preparation: March 1, 2015



Global Sealer Technologies

1. PRODUCT IDENTIFICATION

TRADE NAME (AS LABELED):

**GST International
Elephant Armor Delay**

**Recommended Use:
Mortar Mix Retarder**

DATE OF REVISION:

August 1, 2015

MANUFACTURER'S NAME:

GST International, Inc.

ADDRESS:

994 Packer Way
Sparks, NV 89431

BUSINESS PHONE:

775/829-2626

2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is a clear to white crystal with an odor that ranges between none to a very slightly sugar odor. Skin contact with citric acid can irritate the skin and can cause the skin to redden, sting, and swell at the point of contact. Severe irritation characterized by stinging, reddening, tearing, and swelling can occur following eye exposure. Contact may cause damage to the eye if not treated immediately. Inhalation of this material can be irritating to the nose, mouth, throat and lungs. Emergency responders must wear the proper personal protective equipment suitable for the situation to which they are responding.

HAZARD IDENTIFICATION (Continued)

OSHA/HCS STATUS: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

HAZARD PICTOGRAMS:



SIGNAL WORD:

WARNING

PRECAUTIONARY STATEMENTS

General	Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	Wear eye or face protection: Recommended: safety glasses with side-shields. Wash hands thoroughly after handling.
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	Not applicable.
Disposal	Not applicable.

HAZARDOUS MATERIAL INFORMATION SYSTEM

HEALTH	(BLUE)	1	
FLAMMABILITY	(RED)	0	
REACTIVITY	(YELLOW)	0	
PROTECTIVE EQUIPMENT D			
EYES	RESPIRATORY	HAND	BOD
	SEE SECTION 8		

For routine industrial applications

3. COMPOSITION and INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS #	% w/w	EXPOSURE LIMITS IN AIR					
			ACGIH		OSHA			OTHER
			TLV ppm	STEL ppm	PEL ppm	STEL ppm	IDLH ppm	
Citric Acid	77-92-9	100	NE	NE	NE	NE	NE	NE

4. FIRST-AID MEASURES

SKIN EXPOSURE: If the product contaminates the skin, immediately begin decontamination by flush all affected areas with large amounts of soap and running water. Minimum flushing is for 15 minutes. Remove contaminated clothing, taking care not to contaminate eyes. Do not attempt to neutralize with chemical agents. Victim must seek medical attention if irritation develops.

EYE EXPOSURE: If this product enters the eyes, open victim's eyes while under gentle running water. Use sufficient force to open eyelids. Have victim "roll" eyes. Minimum flushing is for 15 minutes. Do not attempt to neutralize. Oils or ointments should not be used at this time. Victim must seek immediate medical attention.

INHALATION: If dust of this product is inhaled, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Victim must seek immediate medical attention.

INGESTION: If this product is swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. If professional advice is not available, victim should drink water and seek medical attention. Never induce vomiting or give water to someone who is unconscious, having convulsions, or unable to swallow.

Victims of chemical exposure must be taken for medical attention. Rescuers should be taken for medical attention, if necessary. Take a copy of the label and MSDS to health professional with victim.

5. FIRE-FIGHTING MEASURES

FLASH POINT: Not flammable.

AUTOIGNITION TEMPERATURE: NE.

FLAMMABLE LIMITS (in air by volume, %): Lower (LEL): NE.
Upper (UEL): NE.


FIRE EXTINGUISHING MATERIALS:

Water Spray: YES Carbon Dioxide: YES
Foam: YES Dry Chemical: YES
Halon: YES Other: Any "ABC" Class.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not considered to be a fire or an explosion hazard. Use standard fire fighting techniques to extinguish surrounding materials. Citric acid does not pose a fire or explosion hazard. Combustion of citric acid produces carbon dioxide (CO₂) and carbon monoxide (CO).

Explosion Sensitivity to Mechanical Impact: Not sensitive.
Explosion Sensitivity to Static Discharge: Not sensitive.

NFPA RATING



See Section 16 for Definition of Ratings

SPECIAL FIRE-FIGHTING PROCEDURES: Incipient fire responders should wear eye protection. Structural fire fighters must wear Self-Contained Breathing Apparatus and full protective equipment appropriate for the surrounding fire. Move fire-exposed containers, if it can be done without risk to firefighters. If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas. If necessary, discard or decontaminate fire response equipment using water before returning such equipment to service.

6. ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Avoid breathing dust. When respirators are required, Select NIOSH/MSHA approved based on actual or potential airborne concentrations in accordance with latest OSHA and/or ANSI recommendations. Sweep or vacuum up, place in a bag or other container and dispose in accordance with applicable regulations. Neutralize residue with lime or soda ash or other acid neutralizing agent. Decontaminate the area thoroughly. Test area with litmus paper to confirm neutralization. Place all spill residue in a suitable container. Dispose of in accordance with Federal, State and local hazardous waste disposal regulations (see Section 13 – Disposal Considerations.)

7. HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Avoid breathing dust generated by this product. Use in a well-ventilated location. Wash thoroughly after using this material. Do not eat, drink, or smoke while handling this material. Remove contaminated clothing immediately. Use ventilation and other engineering controls to minimize potential exposure to this product.

STORAGE AND HANDLING PRACTICES: All employees who handle this material should be trained to handle it safely. Avoid breathing
Use in a well-ventilated location.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

VENTILATION AND ENGINEERING CONTROLS: If required use local ventilation systems to ensure that there is no potential for overexposure to dust of this product and that exposures are below those in section 2 (Composition and Information on Ingredients). Ensure eyewash/safety shower stations are available near areas where this product is used.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below exposure limits listed in Section 2 (Composition and Information on Ingredients). If respiratory protection is needed, use only protection authorized in 29 CFR 1910.134, or applicable State regulations. If adequate ventilation is not available or if there is potential for airborne exposure above the exposure limits (listed in Section 2) a respirator may be worn up to respirator exposure limitations, check with respirator equipment manufactures recommendations/limitations. For a higher level of protection use positive pressure supplied air respiration protection or Self Contained Breathing Apparatus or if oxygen levels are below 19.5% or are unknown.

EMERGENCY OR PLANNED ENTRY INTO UNKNOWN CONCENTRATIONS OR IDLH CONDITIONS:

Positive pressure, full-facepiece Self Contained Breathing Apparatus; or positive pressure, full-facepiece Self Contained Breathing Apparatus with an auxiliary positive pressure Self Contained Breathing Apparatus.

EYE PROTECTION: Splash goggles or safety glasses.

HAND PROTECTION: Wear appropriate gloves for routine industrial use.

BODY PROTECTION: Use body protection appropriate for task. Cover-all, rubber aprons, or chemical protective clothing made from natural rubber are generally acceptable, depending upon the task.

9. PHYSICAL and CHEMICAL PROPERTIES

RELATIVE VAPOR DENSITY (air = 1): NE

SPECIFIC GRAVITY (water = 1): 1.665

SOLUBILITY IN WATER: Completely soluble.

VAPOR PRESSURE, mm Hg @ 25°C: NE

ODOR: Odorless to slight sugar odor.

APPEARANCE AND COLOR: Clear to white crystals

BOILING POINT: NE

MELTING/FREEZING POINT: NE

PHYSICAL STATE: Solid

pH: 2 for 1% solution

HOW TO DETECT THIS SUBSTANCE (warning properties): The appearance and odor may be a distinguishing characteristic of this product. Litmus paper will turn red upon contact with this solution.

10. STABILITY and REACTIVITY

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability: The product is stable. Decomposes on heating.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: Under normal conditions of storage and use, hazardous polymerization will not occur.

Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.

Incompatible materials: Reactive or incompatible with the following materials: oxidizing materials, reducing materials, acids and alkalis.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

TOXICITY DATA: The following toxicology Information is for this product:

LD₅₀ (oral, rat) 3 g/kg

Irritation (skin, rabbit) 500 mg/24H mild

Irritation (eye, rabbit) 750 mg/24H severe

SUSPECTED CANCER AGENT: The product's components are not found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, CAL/OSHA and are, therefore, not considered to be, nor suspected to be, cancer-causing agents by these agencies.

IRRITANCY OF PRODUCT: Severe irritation characterized by stinging, reddening, tearing, and swelling can occur following eye exposure. Contact may cause damage to the eye if not treated immediately. Skin contact with citric acid can irritate the skin and can cause the skin to redden, sting, and swell at the point of contact.

SENSITIZATION TO THE PRODUCT: This product is not known to cause skin or respiratory sensitization reactions in humans after prolonged or repeated exposures.

REPRODUCTIVE TOXICITY INFORMATION: Listed below is information concerning the effects of this product and its components on the human reproductive system.

Mutagenicity: This product is not reported to produce mutagenic effects in humans.

Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.

Teratogenicity: This product is not reported to cause teratogenic effects in humans.

Reproductive Toxicity: This product is not reported to cause reproductive effects in humans.

*A **mutagen** is a chemical which causes permanent changes to genetic material (DNA) such that the changes will propagate through generational lines. An **embryotoxin** is a chemical which causes damage to a developing embryo (i.e. within the first eight weeks of pregnancy in humans), but the damage does not propagate across generational lines. A **teratogen** is a chemical which causes damage to a developing fetus, but the damage does not propagate across generational lines. A **reproductive toxin** is any substance which interferes in any way with the reproductive process.*

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Skin disorders can be aggravated by over-exposure to this mixture. Inhalation of this product may aggravate respiratory conditions.

BIOLOGICAL EXPOSURE INDICES: Currently, Biological Exposure Indices (BEIs) are not applicable to components of this product.

12. ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL STABILITY: The components of this product are relatively stable in the environment. The following environmental data are available for the components of this product over 1 percent by weight:

No information found.

EFFECT OF MATERIAL ON PLANTS or ANIMALS: No information found.

EFFECT OF CHEMICAL ON AQUATIC LIFE: No information found. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of the National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. The following aquatic toxicity data are available for the product and its components of this product over 1 percent by weight: Not available.

13. DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

EPA WASTE NUMBER: Not applicable.

BAG DISPOSAL: Insure all product remove from bag, do not reuse empty bag, place in a bag or other container and put in trash.

14. TRANSPORTATION INFORMATION

THIS MATERIAL IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: Not regulated.

HAZARD CLASS NUMBER and DESCRIPTION: Not regulated.

UN IDENTIFICATION NUMBER: Not regulated.

PACKING GROUP: Not regulated.

DOT LABEL(S) REQUIRED: Not regulated.

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2000): Not regulated.

MARINE POLLUTANT: This product does not contain any components which are designated by the Department of Transportation to be Marine Pollutants. (49 CFR 172.101, Appendix B).

TRANSPORT CANADA TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: THIS MATERIAL IS NOT CONSIDERED AS DANGEROUS GOODS. Use the above information for the preparation of Canadian Shipments.

15. REGULATORY INFORMATION

SARA REPORTING REQUIREMENTS: The components of this product are not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA THRESHOLD PLANNING QUANTITY: Not applicable.

U.S. CERCLA REPORTABLE QUANTITY (RQ): Not applicable.

CANADIAN DSL INVENTORY: The components of this product are listed on the DSL Inventory.

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory.

OTHER U.S. FEDERAL REGULATIONS: Not applicable.

STATE REGULATORY INFORMATION: Components of this product are covered under specific State regulations, as denoted below: None determined.

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): No component of this product is on the California Proposition 65 lists.

LABELING (Precautionary Statements): WARNING! CAUSES SEVERE EYE IRRITATION. CAUSES IRRITATION TO SKIN AND RESPIRATORY TRACT. Do not get into eyes, on skin or clothing. Avoid breathing dust. Do not take internally. Use with adequate ventilation and employ respiratory protection when exposed to dust. When handling, wear chemical splash goggles, face shield, rubber gloves and protective clothing. Do not transfer to unlabeled containers. Wash thoroughly after handling. Keep container closed when not in use. FIRST-AID: In case of contact, immediately flush skin or eyes for at least 15 minutes. Remove contaminated clothes and shoes. If inhaled, move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If ingested, get medical attention. IN CASE OF FIRE: Use water, dry chemical, CO₂ or alcohol foam. IN CASE OF SPILL: Absorb with an inert material. Refer to MSDS for additional information.

CANADIAN WHMIS SYMBOLS: Not Regulated.

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. GST International assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, GST International assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET